To be used with City of Meridian Supplemental Specifications Standard Drawings

<u>Note</u>: If there are no approved parts listed for items called out on any Meridian Standard Drawings, then all parts that meet the requirements found in appropriate sections of the ISPWC, Meridian Supplemental Specifications, and AWWA Standards will be accepted.

STANDARD DRAWING NO. G5

LEGEND		
REFERENCE	EQUIPMENT	APPROVED MANUFACTURER/PRODUCT
NOTE NO. 1	LOCATE STATION	1. RHINO HIDEOUT WIRE STATION WITH LOCATING PLATE
		2. CP TEST & VALVE PRODUCTS MINI TEST STATION
NOTE NO. 2	MARKER POST	1. RHINO 3-RAIL FIBERGLASS POST WITH POLYTECH COATING,
		DECAL PROVIDED BY CITY OF MERIDIAN
	LOCATING WIRE- OPEN TRENCH	1. COPPERHEAD SUPERFLEX 1230 TRACER WIRE
		2. PRO-TRACE HF-CCS HIGH FLEX TRACER WIRE
	LOCATING WIRE- DRILLING / BORING	1. COPPERHEAD SOLOSHOT DIRECTIONAL DRILL TRACER WIRE
	LOCATING WIRE- PIPE BURSTING	1. COPPERHEAD SOLOSHOT PIPE BURSTING TRACER WIRE
		1. COPPERHEAD DRYCONN 3-WAY DIRECT BURY LUG
		2. COPPERHEAD SNAKEBITE LOCKING CONNECTORS
	CONNECTOR	3. PRO-TRACE TW CONNECTOR
	GROUNDING ANODE (INCLUDING 12 GA WIRE)	1. COPPERHEAD MAGNESIUM ANODE

STANDARD DRAWING NO. RW1

LEGEND		
REFERENCE	EQUIPMENT	APPROVED MANUFACTURER/PRODUCT
NOTE NO. 5	VALVE BOX COVER	1. EAST JORDAN IRON WORKS PRODUCT NUMBER 33170901
NOTE NO. 3	VALVE BOX FRAME	1. EAST JORDAN IRON WORKS PRODUCT NUMBER 33470900

To be used with City of Meridian Supplemental Specifications Standard Drawings

<u>Note</u>: If there are no approved parts listed for items called out on any Meridian Standard Drawings, then all parts that meet the requirements found in appropriate sections of the ISPWC, Meridian Supplemental Specifications, and AWWA Standards will be accepted.

STANDARD DRAWING NO. W1

	NOTES		
REFERENCE	EQUIPMENT	APPROVED MANUFACTURER/PRODUCT	
NOTE NO. 2	COVER, METER TRANSMITTER- CMP VAULT	1. EAST JORDAN IRONWORKS COVER 2405C3	
		2. D&L A-1055-S41	
NOTE NO. 2	COVER, METER TRANSMITTER- HDPE VAULT	1. D&L FOUNDRY D-6018	
NOTE NO.2	HDPE VAULT	1. RAVEN RMP202436-FB-W	
NOTE NO. 3	LOCATING WIRE	SEE DRAWING G5	
	LEGEND	·	
REFERENCE	EQUIPMENT	APPROVED MANUFACTURER/PRODUCT	
ITEM NO. 1	BALL CORPORATION STOPS (1", CC x COMP)	1. FORD FB-1001-4GNL	
		2. MUELLER B-25009N	
		3. AY MCDONALD(AY) 74701B-3G	
ITEM NO. 2	LOCATING WIRE	SEE DRAWING G5	
ITEM NO. 3	VAULT	1. RAVEN RMP202436-FB-W, RAVEN RMP202436-RTP-W	
ITEM NO. 4	SERVICE SADDLE	1. AY 4835A	
(Rev.2/25/19)	(NOTE FOR SUPPLIER - MUST MEET AWWA C-213)	2. FORD FC 101	
		3. ROMAC 101NS	
		4. SMITH-BLAIR 315/317	
ITEM NO. 7	BALL VALVE (3/4", FIPT x FIPT)	1. MUELLER B-20283N	
	(TO CONNECT TO 1" X 3/4" BRANCH FITTING PER W3 ITEM 2)	2. FORD B11-333NL	
		3. AY 76101	
ITEM NO. 7	BALL VALVE (1", COMP x FIPT)	1. MUELLER B-20283N	
		2. FORD B11-444NL	
		3. AY 76101	
ITEM NO. 10	METER SETTER (3/4")	1. MUELLER MB 24046AF18	
		2. FORD VBHC93-18W-CNL-FP BOLTED CLAMP OPTION	
		3. AY 720-D318JDMD-33	

To be used with City of Meridian Supplemental Specifications Standard Drawings

<u>Note</u>: If there are no approved parts listed for items called out on any Meridian Standard Drawings, then all parts that meet the requirements found in appropriate sections of the ISPWC, Meridian Supplemental Specifications, and AWWA Standards will be accepted.

ITEM NO. 10	METER SETTER (1")	1. MUELLER MB 24046AF18
		2. FORD VBHC94-18W-8144-CNL-FP
		3. AY 720-D418DMD-33
ITEM NO. 11	COVER (NON-TRAFFIC AREA)	1. EAST JORDAN IRONWORKS EJ 8426C (TAPERED BARREL
		VAULTS)
		2. AY 74M43XRG (TAPERED BARREL VAULTS)
		3. D&L B5020 (FULL BARREL VAULTS)
ITEM NO. 12	COMPRESSION FITTING - 3/4" SERVICE (3/4" MIP. X 1" GRIPTIGHT)	1. FORD C86-34-G-NL (3/4"X1"); C86-44-G-NL (1"X1")
	COMPRESSION FITTING - 1" SERVICE (1" MIP. X 1" GRIPTIGHT)	2. AY 74753-3G

STANDARD DRAWING NO. W3

LEGEND		
REFERENCE	EQUIPMENT	APPROVED MANUFACTURER/PRODUCT
ITEM NO. 2	BRANCH FITTING - 1" COMP X 3/4" MIP (X2)	1. FORD U68-43
		2. MUELLER H-15364N
		3. AY 708UBM
ITEM NO. 3	BALL VALVE - 3/4" FIPT X FIPT (X2)	SEE DRAWING W1 ITEM 7

To be used with City of Meridian Supplemental Specifications Standard Drawings

<u>Note</u>: If there are no approved parts listed for items called out on any Meridian Standard Drawings, then all parts that meet the requirements found in appropriate sections of the ISPWC, Meridian Supplemental Specifications, and AWWA Standards will be accepted.

STANDARD DRAWING NO. W4

	LEGEND		
REFERENCE	EQUIPMENT	APPROVED MANUFACTURER/PRODUCT	
ITEM NO. 2	SERVICE SADDLE	1. AY 4835A	
(Rev.2/25/19)		2. FORD FC 101	
		3. ROMAC 101NS	
		4. SMITH-BLAIR 315/317	
ITEM NO. 3	BALL CORPORATION STOPS (1.5" or 2")	1. FORD FB1001-6-IDR7-NL (AWWA X POLY) (1.5")	
		2. FORD FB1001-7-IDR7-NL (AWWA X POLY) (2")	
		3. AY MCDONALD 74701B-33 1-1/2 (AWWAXPOLY) (1.5")	
		4 AY MCDONALD 74701B-33 2 (AWWAXPOLY) (2")	
		5. MUELLER E25009-500 (1.5)-(2)	
ITEM NO. 6	BALL VALVE CURB STOP FIP X MIP	1. FORD B81-666-NL (1.5"); B81-777-NL (2")	
		3. AY MCDONALD 76107 1 1/2	
		4. AY MCDONALD 76107 2	
		5.MUELLER B20285-500 CURB VALVE WITH NO LOCK AND 1/4	
		TURN CHECK (1.5) – (2)	
ITEM NO. 8	METER SETTER-	1. FORD VBHH 76-21B-11-66-TP6-NL (1.5")	
	INCLUDES:	2. FORD VBHH 77-21B-11-77-TP6-NL (2")	
	FLANGED ANGLE BALL VALVE WITH PADLOCK WING	3. AY MCDONALD 720B621WFFF 665 (1.5")	
	BRACE PIPE / EYELETS	4. AY MCDONALD 720B721WFFF 775 (2")	
	BALL VALVE WITH PADLOCK WING ON BYPASS BYPASS PACK JOINT		
	FLANGED ANGLE CHECK VALVE WITH TEST PORT		
	RED BRASS BYPASS		
	BALL VALVE		
ITEM NO. 8	METER SETTER- NO BYPASS	1. FORD VBHH76211166TP6NL (1.5")	
		2. FORD VBHH77211177TP6NL (2")	
		3. AY MCDONALD 720-621WFF660X400 (1.5")	
		4. AY MCDONALD 720-721WFF770X400 (2")	
ITEM NO. 11	HDPE METER BOX	1. RAVEN RMP243342-FB-W	

To be used with City of Meridian Supplemental Specifications Standard Drawings

<u>Note</u>: If there are no approved parts listed for items called out on any Meridian Standard Drawings, then all parts that meet the requirements found in appropriate sections of the ISPWC, Meridian Supplemental Specifications, and AWWA Standards will be accepted.

ITEM NO. 13	METER LID AND RING (H-20)	1. EAST JORDAN IRON WORKS 2405C3 (LID); 2440Z (RING /
		FRAME)
		2. D&L A-1055-S41
ITEMS 17 & 18	POLY PIPE WITH FACTORY SWEDGELOCKED SST NPT ENDS SUCH AS POLY-CAN	1 P/N 720-0200S6SIDR712
	AND P/N720-0150S6SIDR712 MAY BE USED INSTEAD OF ITEMS 17 AND 18.	
ITEM NO. 18	COMPRESSION FITTING (1.5" MIP. x 1.5" COMP)	1. FORD C86-66-IDR7-NL (1.5")
	COMPRESSION FITTING (2" MIP. x 2" COMP)	2. FORD C86-77-IDR7-NL (2")
		3. AY MCDONALD 74753-33 1 1/2
		4. AY MCDONALD 74753-33 2
		5. MUELLER E15429-500 (1.5")-(2")
	CONNECTOR	SEE DRAWING G5
	LOCATING WIRE	SEE DRAWING G5

STANDARD DRAWING NO. W5

LEGEND			
REFERENCE	EQUIPMENT	APPROVED MANUFACTURER/PRODUCT	
ITEM NO. 3	GATE VALVE - 4" (FLG X MJ)	1. WATEROUS	
		2. CLOW	
		3. MUELLER	
ITEM NO. 15	ACCESS HATCH - H20 RATED W/GRATING AND SAFETY NET	1. BABCOCK-DAVIS	
		2. XYLEM SAFE HATCH	
	CONNECTOR	SEE DRAWING G5	
	LOCATING WIRE	SEE DRAWING G5	

To be used with City of Meridian Supplemental Specifications Standard Drawings

<u>Note</u>: If there are no approved parts listed for items called out on any Meridian Standard Drawings, then all parts that meet the requirements found in appropriate sections of the ISPWC, Meridian Supplemental Specifications, and AWWA Standards will be accepted.

STANDARD DRAWING NO. W8

NOTES		
REFERENCE	EQUIPMENT	APPROVED MANUFACTURER/PRODUCT
NOTE NO. 1	JOINT RESTRAINT	1. EBAA IRON 2000PV MEGA LUG
		2. TYLER UNION SERIES 2000 TUFGRIP TLP
		3. ROMAC ROMAGRIP
		4. TYLER UNION SERIES 1500 TDW
NOTE NO. 3	LOCATE STATION	SEE DRAWING G5
	CONNECTOR	SEE DRAWING G5
	LOCATING WIRE	SEE DRAWING G5
	GROUNDING ANODE	SEE DRAWING G5

STANDARD DRAWING NO. W11

LEGEND		
REFERENCE	EQUIPMENT	APPROVED MANUFACTURER/PRODUCT
ITEM NO. 1	VALVE BOX LID	1. TYLER NO. 6855
ITEM NO. 2	VALVE BOX RISER	1. TYLER

STANDARD DRAWING NO. W12

LEGEND		
REFERENCE	EQUIPMENT	APPROVED MANUFACTURER/PRODUCT
ITEM NO. 8	JOINT RESTRAINT	1. EBAA IRON 1900 SPLIT SERRATED RESTRAINT HARNESS
		2. TYLER UNION SERIES 3000 PP KIT
		3. ROMAC STYLE 611
		4. FORD 1390
		5. SIGMA PV-LOK SERIES PWP
	LOCATING WIRE	SEE DRAWING G5
	GROUNDING ANODE	SEE DRAWING G5

To be used with City of Meridian Supplemental Specifications Standard Drawings

Note: If there are no approved parts listed for items called out on any Meridian Standard Drawings, then all parts that meet the requirements found in appropriate sections of the ISPWC, Meridian Supplemental Specifications, and AWWA Standards will be accepted.

STANDARD DRAWING NO. W13

LEGEND		
REFERENCE	EQUIPMENT	APPROVED MANUFACTURER/PRODUCT
ITEM NO. 8	JOINT RESTRAINT	1. EBAA IRON 1900 SPLIT SERRATED RESTRAINT HARNESS
		2. TYLER UNION SERIES 3000 PP KIT
		3. ROMAC STYLE 611
		4. FORD 1390
		5. SIGMA PV-LOK SERIES PWP
	LOCATING WIRE	SEE DRAWING G5
	GROUNDING ANODE	SEE DRAWING G5

To be used with City of Meridian Supplemental Specifications Standard Drawings

Note: If there are no approved parts listed for items called out on any Meridian Standard Drawings, then all parts that meet the requirements found in appropriate sections of the ISPWC, Meridian Supplemental Specifications, and AWWA Standards will be accepted.

STANDARD DRAWING NO. W14

LEGEND		
REFERENCE	EQUIPMENT	APPROVED MANUFACTURER/PRODUCT
ITEM NO. 1	BALL CORPORATION STOPS (1")	1. FORD FB-1001-4GNL
		2. MUELLER B-25009N
		3. AY MCDONALD(AY) 74701B-3G
ITEM NO. 3	VAULT	1. RAVEN RMP202436-FB-W, RAVEN RMP202436-RTP-W
ITEM NO. 4	SERVICE SADDLE	1. AY 4835A
		2. FORD FC 101
		3. ROMAC 101NS
ITEM NO. 7	BALL VALVE (1")	1. MUELLER B-20283N
		2. FORD B11-444NL
		3. AY 76101
ITEM NO. 10	METER SETTER (3/4")	1. MUELLER MB 24046AF18
		2. FORD VBHC93-18W-CNL BOLTED CLAMP OPTION
		3. AY 720-D318JDMD-33
ITEM NO. 11	COVER (NON-TRAFFIC AREA) FOR TRAFFIC AREAS SEE DETAILS IN W1	1. EAST JORDAN IRONWORKS EJ 8426C (TAPERED BARREL
		VAULTS)
		2. AY 74M43XRG (TAPERED BARREL VAULTS)
		3. D&L B5020 (FULL BARREL VAULTS)
ITEM NO. 12	COMPRESSION FITTING (3/4" MIP x 1" GRIPTIGHT)	1. FORD C86-34-G-NL
		2. AY 74753-3G
	LOCATING WIRE	SEE DRAWING G5

*****END OF PAGES****